


TECHNICAL SPECIFICATION

 Document No:
 FR-105

 Publish Date :
 08.10.2019

 Revision No :
 01

 Revision Date :
 01.05.2024



PACKAGE CODE: JP-1100

LID CODE: JP-1101

DIMENSION (mm) (± %5)	VOLUME(ml) (± %5)	WEIGHT (gr) (± %5)
Package Width: 103,58	volume: 1062	Package: 33,0
Packege Lenght: 144,88		lid: 10,4
Package Height : 109		Total: 43,4
Lid Wight: 106,84		
Lid Lenght: 148,14		
Lid Height : 10,03		
APPLICABLE DECORATION		

IML				
RAW MATERIALS				
Raw Material	РР			
Masterbatch	PE based Masterbatch			
Color	All colors are applicable			


PERFORMANS

HIGH TEMPERATURE USE: Generally allowed filling temperature is 85°C. After hot filling, attention should be paid to stacking. In order for the packing to reach the appropriatestacking strength ,the product and packing must cool.

LOW TEMPERATURE USE (-10 and below) Products sutiable for use must be produced with speacial raw materials. Before approvel, products must be subjected to trial tests at low temperatures.

SHELF LIFE : The features in this technical specification form are valid for 12 months under appropriate storage and storage conditons. Packing should be stored in closed, moisture-free environments away from direct sunlight.

QUALITY INFORMATION: Our production is carried out with a quality and hygiene system that is regularly inspected by the Turkish Standards Institute. Our products are suitable for use on all foodstuffs. All parameters that need to be checked periodically are analyzed by accredited laboratories.



The technical specifications of the product can be determined by JETPAK PLASTIK KIMYA AMBALAJ GIDA SAN. AND TRADE LTD. ŞTİ. without the need for any permission or informationcan be changed by .